



JinLing



JinLing

Foshan Nanhai

JINLING Electric Co.,Ltd.



Foshan Nanhai Jinling Electric Co.,Ltd.

佛山市南海金菱电器有限公司


Add:Ligang Industrial Zone,Shishan Town,Nanhai District,
Foshan City,Guangdong,China

Tel.:86-757-85803982 Fax.:86-757-85803788

Email:Jessie@noblefan.com

Website:www.jinling-electric.en.made-in-china.com

Since 2005



ENJOY QUIETLY AND FRESH

Bring the wind around anytime and anywhere



ABOUT US

FOSHAN NANHAI JINLING ELECTRIC LTD. is a manufacturer focusing on the research and development, design, production, and sales of environmental household appliance products. Since its establishment in 2004, the factory has always ahead to the values of "giving the best to customers, constantly improving efficiency, actively embracing change, integrity and dedication". At present, the manufacturer has passed the ISO9001 quality system, with nearly 20,000 square meters of plant, 12 modern production lines, and experienced management and development teams, mainly produces electric fan, fan motor, and air fryer.

We not only have our own brand but also OEM and ODM for our customers, and more than 10 products patent. Our sales network throughout Southeast Asia, Europe, America, Africa, Middle East of more than 15 countries, and have GS/CE/CB/SAA/RoHS/SASO/CCC certificates.

We are always grateful for our customers' support and trust, keep the principle customer first, technical innovation, achieve success with best quality and sincere service. Your satisfaction, our purpose.



Global sales network



Our sales network throughout Southeast Asia, Europe, America, Africa, Middle East of more than 15 countries, and have GS/CE/CB/SAA/RoHS/SASO/CCC certificates.

Certificates





12"FS-30-1



12"FS-30-CT2



12"FS-30-CT2



12"FS-30-CT2



12"FS-30-CT2



10"FS-25-1



10"FS-25-2



10"FS-25-2



10"FS-25-2



16"FS-40-113
16"FS-40-113T

- 3 speeds
- 60 minutes timer
- height adjustable
- protective grill
- 5 AS blades

16"FS-40-AT22

- 3 speeds
- 60 minutes timer
- height adjustable
- protective grill
- 5 AS blades



16"FS-40-AT2

16"FS-40-AT2

16"FS-40-114

115R

16"FS-40-115



16"FS-40-CT8

16"FS-40-CT8

16"FS-40-116

116R

16"FS-40-117

Stand Fan



16''FS-40-118

- 4 speed
- 60 minutes timer
- Height adjustable
- 5 AS blades
- Horizontal swing



16''FS-40-119

- 3 speed
- 60 minutes timer
- Height adjustable
- 5 AS blades
- Horizontal swing



16''FS-40-120R

- 3 speed
- 7.5 hours timer
- Height adjustable
- 5 AS blades
- Horizontal swing



16''FS-40-121R

- 3 speed
- 7.5 hours timer
- Height adjustable
- 5 AS blades
- Horizontal swing



16''FS-40-122

- 3 speed
- 60 minutes timer
- Height adjustable
- 5 PP blades
- Horizontal swing



16''FS-40-218

- 3 speeds
- 60 minutes timer
- height adjustable
- protective grill
- 5 AS blades

Stand Fan



16''FS-40-123



16''FS-40-124



16''FS-40-125



16''FS-40-126



16''FS-40-127



16''FS-40-128



16''FS-40-129R



16''FS-40-130

Stand Fan



16''FS-40-1



16''FS-40-2



16''FS-40-3



16''FS-40-4



16''FS-40-02N



16''FS-40-07



16''FS-40-9



16''FS-40-9R

Stand Fan



16''FS-40-14R



16''FS-40-14



16''FS-40-15



16''FS-40-15



16''FS-40-15R



16''FS-40-23



16''FS-40-24



16''FS-40-28

Stand Fan



16''FS-40-30



16''FS-40-44R



16''FS-40-46



16''FS-40-49



16''FS-40-92



16''FS-40-93



16''FS-40-109



16''FS-40-53



16''FS-40-54



16''FS-40-90



16''FS-40-91



16''FS-40-110



16''FS-40-111



16''FS-40-112

Stand Fan

Stand Fan



16''FS-40-94



16''FS-40-95



16''FS-40-96R



16''FS-40-97

Stand Fan



16''FS-40-102



16''FS-40-103



16''FS-40-104



16''FS-40-105



16''FS-40-98



16''FS-40-99



16''FS-40-100



16''FS-40-101



16''FS-40-106



16''FS-40-107



16''FS-40-107



16''FS-40-108

Stand Fan



18"FS-45-CT12R

- 4 speeds
- 7.5 hours timer
- height adjustable
- protective grill
- 5/6/7 AS blades



16"FS-40-CT12

- 4 speeds
- 60 minutes timer
- height adjustable
- protective grill
- 7 AS blades



18"FS-45-48N



18"FS-45-48N



18"FS-45-49



18"FS-45-49R

Stand Fan



18"FS-45-65



18"FS-45-66



18"FS-45-67



18"FS-45-68



18"FS-45-68R



18"FS-45-69



18"FS-45-70



18"FS-45-70

Stand Fan



18''FS-45-71



18''FS-45-72



18''FS-45-73



18''FS-45-308

Stand Fan



18''FS-45-T3



18''FS-45-T3



18''FS-45-T3



18''FS-45-T6



18''FS-45-305



18''FS-45-305R



18''FS-45-306



18''FS-45-T2



18''FS-45-T9



18''FS-45-T9



18''FS-45-T9



18''FS-45-74

Stand Fan



18''FS-45-T16



18''FS-45-T16R



18''FS-45-75



18''FS-45-76

Stand Fan



18''FS-45-78



20''FS-50



18''FS-45-77



18''FS-45-79



18''FS-45-80



18''FS-45-81



18''FS-45-82



18''FS-45-83



18''FS-45-T18

Stand Fan



18"YDF-45-7

- 3 speeds
- powerful wind
- height adjustable
- protective grill
- 5 ABS blades



18"YDF-45-2



18"YDF-45-6A



18"YDF-45-6B



18"YDF-45-6B



controller

18"YDF-45-6

18"YDF-45-10



18"YDF-45

Table Fan



9"FT-25-8



12"FT-30-2



16"FT-40-4



8"FT-22-1



18"YDF-45-10

Table Fan



16"FT-40-1



16"FT-40-2



16"FT-40-3



16"FT-40-3



12"FT-30-K11



16"FT-40-5



16"FT-40-6



16"FT-40-6



16"FT-40-7



16"FT-40-9



16"FT-40-56



16"FT-40-57

Table Fan



16"FT-40-8

Table Fan



16"FT-40-111N



16"FT-40-111N



16"FT-40-58



16"FT-40-59



16"FT-40-60



16"FT-40-61



16"FT-40-56



16"FT-40-112N



16"FT-40-112N



16"FT-40-113N



16"FT-40-116N



16"FT-40-116N



12"16"18"20" KYT-40



16"KYT-1



16"KYT-2



16"KYT-3



16"KYT-4



16"KYT-40-3



20"KYT-50-1



20"KYT-50-2



20"KYT-50-3



20"KYT-50-18

Wall Fan



16"FB-40-1

Wall Fan



16"FB-40-1N



16"FB-40-5



16"FB-40-6N




16"FB-40-7




16"FB-40-8R



16"FB-40-8R



16"FB-40-9



16"FB-40-10



16"FB-40-11

Wall Fan



16''FB-40-12



16''FB-40-13



16''FB-40-14



16''FB-40-15



16''FB-40-16



16''FB-40-17



16''FB-40-18



16''FB-40-19




16''FB-40-20

Wall Fan



16''FB-40-4



16''FB-40-21



16''FB-40-22



16''FB-40-B7



16"FB-45-B3



18"FB-45-30N



18"FB-45-19N



18"FB-45-6N



18"FB-45-38N



10"KYT-20



9"KYT-25-10



12"KYT-25-10



12"KYT-25-11



12"KYT-30-3



12"KYT-30-4



12"KYT-30-5



12"KYT-30-6



12"KYT-30-7



12"KYT-30-8



12"KYT-30-9



12"KYT-30-10



12"KYT-30-11



12"KYT-30-12



16"KYT-40-3



16"KYT-40-3



12"KYT-30-13



12"KYT-30-14



12"KYT-30-15



16"KYT-40-4



JLTF-14\"/>



JLTF-14\"/>



JLTF-14\"/>



JLTF-14\"/>



JLTF-14\"/>



JLTF-14\"/>



JLTF-29\"/>



JLTF-29\"/>



JLTF-29\"/>




JLTF-33\"/>

Tower Fan



JLTF-29\"K-1



JLTF-29\"K-2



JLTF-29\"K-3



JLTF-29\"K-4



JLTF-29\"T-1



JLTF-29\"T-2



JLTF-29\"T-3




JLTF-29\"T-4


Tower Fan




JLTF-32\"A-1




JLTF-32\"A-1



JLTF-32\"B-1



JLTF-32\"B-1



JLTF-32\"G



JLTF-35\"R



JLTF-42\"R



JLTF-46\"R

Tower Fan



JLTF-32\"/>



JLTF-32\"/>



JLTF-32\"/>



JLTF-32\"/>

Tower Fan



JLTF-36\"/>



JLTF-46\"/>



JLTF-3101



JLTF-3201



JLTF-32\"/>




JLTF-32\"/>



JLTF-32\"/>



JLTF-32\"/>



JLTF-36\"/>



JLTF-46\"/>



JLTF-46\"/>



JLTF-36\"/>



JLTF-46\"/>



20" 26" 30" FS-650

20" 26" 30" FS-650R



20" 26" 30" FS-750C



20" 26" 30" FW-750



20" 26" 30" FS-750B



20" 26" 30" FW-650



20" 26" 30" FW-650R

★ 100% copper ★ Full Aluminum ★ Copper mix Aluminum



Size for Choice

48*12mm	60*16mm	66*14mm	71*16mm	74*18mm	74*20mm	98*14mm	98*20mm
60*13mm	66*12mm	66*16mm	71*18mm	74*20mm	74*24mm	98*16mm	115*18mm

Air Fryer

MJ-9521

Air Fryer 3.5L



Functions:

- ◆ Digital air fryer with nixie
- ◆ Elegant design
- ◆ Detachable cooking basket
- ◆ Touch screen
- ◆ Anti-skidding feet
- ◆ Stainless steel heating elements
- ◆ Capacity: 3.5L
- ◆ The 60-min time setting is adjustable
- ◆ 60-200°C temperature adjustment
- ◆ Non-sticking basket, easy to clean; food grade tank, safety insurance
- ◆ High speed air circulation technology, oil free cooking, 80% fat reducing
- ◆ Voltage/power: 100-120V ~50/60Hz 1300W ; 220-240V~ 50/60Hz 1300W
- ◆ 5pre-set cooking programs for french fries, fish, drumstick and steak
- ◆ Auto shut-off system: heating element off once pulling out the basket during cooking

Package:

- ◆ 1pce / color box
- ◆ 4pcs / master carton
- ◆ Product size:336*248*285mm
- ◆ Color box size: 290*285*330mm
- ◆ Ctn size: 585*300*685mm
- ◆ N.W.: 2.9KG G.W.: 3.3KG G.W4.: 13.5KG
- ◆ Loading quantity
1044 pcs/20' 2148 pcs/40' 2420 pcs/40HQ



MJ-9522

Air Fryer 3.5L



Functions:

- ◆ Removable food grill
- ◆ Working indicator
- ◆ 30min timer with bell
- ◆ Anti-skidding feet
- ◆ Stainless steel heating elements
- ◆ Capacity: 3.5L
- ◆ Elegant design
- ◆ Mechanical air fryer with single knob
- ◆ Non-detachable handle, easy to carry, patent for appearance
- ◆ Non-stick oil grill, easy to clean; food class tank, safety insurance
- ◆ High speed air circulation technology, oil free cooking, 80% fat reducing
- ◆ Voltage/power: 100-120V~ 50/60Hz 1300W ; 220-240V~ 50/60Hz 1300W
- ◆ Turn on 200°C±10°C temperature

Package:

- ◆ 1pce / color box
- ◆ 4pcs / master carton
- ◆ Product size:336*248*285mm
- ◆ Color box size: 290*285*330mm
- ◆ Ctn size: 585*300*685mm
- ◆ N.W.: 2.9KG G.W.: 3.3KG G.W4.: 13.5KG
- ◆ Loading quantity 1044 pcs/20' 2148 pcs/40' 2420 pcs/40HQ



Air Fryer

MG-A1

Air Fryer 4L



Functions:

- ◆ Digital air fryer with display
- ◆ Elegant design
- ◆ Detachable cooking basket
- ◆ 60min timer with bell
- ◆ Touch screen
- ◆ Anti-skidding feet
- ◆ Stainless steel heating elements
- ◆ Capacity: 4L
- ◆ 80-200°C temperature adjustment
- ◆ Foldable handle, easy to carry with appearance patent
- ◆ 4 pre-set cooking programs for french fries, fish, drumstick and steak
- ◆ Layer frame, easy to clean; food grade tank, safety insurance
- ◆ High speed air circulation technology, oil free cooking, 80% fat reducing
- ◆ Voltage/power: 100-120V ~50/60Hz 1300W ; 220-240V~ 50/60Hz 1300W
- ◆ Auto shut-off system: heating element off once pulling out the basket during cooking

Package:

- ◆ 1pce / color box
- ◆ 2pcs / master carton
- ◆ Product size:345*293*265mm
- ◆ Color box size: 342mm*342mm*320mm
- ◆ Ctn size: 700mm*355mm*355mm
- ◆ N.W.: 4.46KG G.W.: 5.36KG G.W2.:11.62KG
- ◆ Loading quantity 570 pcs/20' 1180 pcs/40' 1380 pcs/40HQ

MG-C1

Air Fryer 2.5L



Functions:

- ◆ Electronic MD Touch Panel
- ◆ Elegant design
- ◆ Removable food grill
- ◆ The 60 min time is adjustable for preset
- ◆ Anti-skidding feet
- ◆ Stainless steel heating elements
- ◆ Capacity: 2.5L
- ◆ 80-200°C intelligent temperature adjustment
- ◆ Non-detachable handle, easy to carry, patent for appearance
- ◆ Adjust the function according to the preset time temperature on the food icon
- ◆ High speed air circulation technology, oil free cooking, 80% fat reducing
- ◆ Voltage/power: 100-120V~ 50/60Hz 800W ; 220-240V~ 50/60Hz 800W
- ◆ Visual glass pot, easy to clean; food cans, safety insurance

Package:

- ◆ 1pce / color box
- ◆ 6pcs / master carton
- ◆ Product size: 254*200*220mm
- ◆ Color box size: 245x245x257mm
- ◆ Ctn size: 770x260x535mm
- ◆ N.W.: 2.5kgs G.W.: 2.9kgs G.W6.: 18.3kgs
- ◆ Loading quantity 1584 pcs/20' 3312 pcs/40' 4140 pcs/40HQ

MG-B18

Air Fryer 5L



MG-B18

Air Fryer 5L



Functions:

- ◆ Digital air fryer with display
- ◆ Elegant design
- ◆ 60min timer with bell
- ◆ Touch screen
- ◆ Anti-skidding feet
- ◆ Capacity: 5L
- ◆ 60-200°C temperature adjustment
- ◆ Visual window effect (optional)
- ◆ Grill rack equipped with baked food
- ◆ 6 pre-set cooking programs for french fries, fish, drumstick and steak
- ◆ Stainless steel heating elements
- ◆ Layer frame, easy to clean; food grade tank, safety ensurance
- ◆ High speed air circulation technology, oil free cooking, 80% fat reducing
- ◆ Voltage/power: 100-120V ~50/60Hz 1300W ; 220-240V~ 50/60Hz 1300W
- ◆ Automatic shutdown system: turn off the heating element immediately after pulling out the pot during cooking

Package:

- ◆ 1pce / color box
- ◆ 2pcs / master carton
- ◆ Product size:285*400*310mm
- ◆ Color box size: 352mm*352mm*356mm
- ◆ Ctn size: 730mm*385mm*385mm
- ◆ N.W.: 3.76KG G.W.: 4.55KG G.W2.:10.2KG
- ◆ Loading quantity 574 pcs/20' 1152 pcs/40' 1340 pcs/40HQ